

Laboratorio

**A.S.L. DI MILANO LABORATORIO DI PREVENZIONE**

Sede A - Numero di accreditamento 1073

Via Juvara, 22, 20129 Milano (MI)



**Prove accreditate con campo flessibile**

| PROVE ACCREDITATE<br>CON CAMPO FLESSIBILE         | MATERIALE /<br>PRODOTTO/<br>MATRICE | MISURANDO / PROPRIETA' MISURATA / DENOMINAZIONE DELLA PROVA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | METODO DI PROVA ED<br>ANNO DI EMISSIONE          | TECNICA DI<br>PROVA | CAMPO DI<br>MISURA E/O DI<br>PROVA | CAT. |
|---------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------------|------------------------------------|------|
| <b>Prova accreditata con<br/>campo flessibile</b> | <b>Alimenti</b>                     | <b>Alimenti</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>MPI/SC 35 Rev.0 2013</b>                      |                     |                                    |      |
| Prova correlata                                   | Alimenti                            | Tossina T-2, Tossina HT-2, Zearalenone (ZEA), Deoxynivalenol (DON)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | MPI/SC 35 Rev. 0 2013                            | LC/MSMS             |                                    | 0    |
| <b>Prova accreditata con<br/>campo flessibile</b> | <b>Acque</b>                        | <b>Acque</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>MPI/SC 34 Rev.0 2013</b>                      |                     |                                    |      |
| Prova correlata                                   | Acque                               | Alachlor, Ametryn, Atrazine, Atrazine desethyl, Atrazine desisopropyl, Bromacil, Metolachlor, Oxadiazon, Pentilentetrazole, Prometryn, Propazine, Sebuthylazine, Simazine, Terbutylazine desethyl, Terbutylazine, 2,6 dichlorobenzamide, Tris (2-chloroethyl) phosphate (TCEP)                                                                                                                                                                                                                                                                                                                       | MPI/SC 34 Rev. 0 2013                            | LC/TOF/<br>MSMS     |                                    | 0    |
| <b>Prova accreditata con<br/>campo flessibile</b> | <b>Acque</b>                        | <b>Acque</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>Rapporti ISTISAN<br/>ISS.CAC.015.rev00</b>    |                     |                                    |      |
| Prova correlata                                   | Acque                               | Bentazone                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Rapporti ISTISAN<br>2007/31 Met. ISS.CAC.<br>015 | GC/MSMS             |                                    | 0    |
| <b>Prova accreditata con<br/>campo flessibile</b> | <b>Alimenti</b>                     | <b>Alimenti</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>UNI EN 15662: 2009</b>                        |                     |                                    |      |
| Prova correlata                                   | Alimenti                            | Acephate, Azinphos-methyl, Azoxystrobin, Carbaryl, Cyprodinil, Dichlorvos, Dimethoate, Imazalil, Mepanipyrim, Metalaxyl, Metamidophos, Omethoate, Penconazole, Pirimicarb, Pirimiphos-methyl, Profenophos, Tebuconazole, Thiabendazole, Triadimefon, Triadimenol                                                                                                                                                                                                                                                                                                                                     | UNI EN 15662: 2009                               | LC/MSMS             |                                    | 0    |
| Prova correlata                                   | Alimenti                            | Azinphos-methyl, Azoxystrobin, Bitertanol, Bromopropylate, Bupirimate, Cypermethrin (sum of isomers), Chlorfenvinphos, Chlorpyrifos, Chlorpyrifos-methyl, Chlorpropham, Deltamethrin, Diazinon, Dicloran, Diphenylamine, Endosulfan-alpha, Endosulfan-beta, Edosulfan-solophate, Endosulfan (sum of alpha and beta isomers and endosulfan-solophate expressed as endosulfan), Ethion, Fenazaquin, Fenvalerate and Esfenvalerate (sum of RR & SS isomers), Fenvalerate and Esfenvalerate (sum of RS & SR isomers), Fenitrothion, Fenpropimorph, Fenthion, Folpet, Iprodione, Kresoxim-methyl, Lambda- | UNI EN 15662: 2009                               | GC/MSMS             |                                    | 0    |

| PROVE ACCREDITATE<br>CON CAMPO FLESSIBILE | MATERIALE /<br>PRODOTTO/<br>MATRICE | MISURANDO / PROPRIETA' MISURATA / DENOMINAZIONE DELLA PROVA                                                                                                                                                                                                                                                                        | METODO DI PROVA ED<br>ANNO DI EMISSIONE | TECNICA DI<br>PROVA | CAMPO DI<br>MISURA E/O DI<br>PROVA | CAT. |
|-------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------|------------------------------------|------|
|                                           |                                     | cyhalothrin, Malathion, Methidation, Myclobutanyl, Parathion, Parathion-methyl, Pendimethalin, Permethrin (sum of isomers), Phosmet, Pyrimethanil, Procymidone, Profenofos, Propargite, Propiconazole, Propyzamide, Tebuconazole, Tebufenpyrad, Tetraconazole, Tetradifon, Tolclofos-methyl, Tolyfluanid, Trifluralin, Vinclozolin |                                         |                     |                                    |      |

Documento prodotto sotto la responsabilita' del laboratorio

15-05-2015 - Revisione 85