Enclosure 1 to the accreditation Certificate n° 070B Rev. 13

rilasciato a / issued to:



Certificazione di prodotti nei seguenti settori:

- Apparecchiature e componenti elettrici di bassa e alta tensione (Vedere l'Allegato al Certificato).

Certification of products within the following sectors:

- Low and High voltage electrical products (see Enclosure to the Certificate).

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023 The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023

(Dott. Emanuele Riva) Il Direttore di Dipartimento The Department Director (Dott. Filippo Trifiletti) Il Direttore Generale *The General Director* (Ing. Giuseppe Rossi) Il Presidente The President 1/8

Milano, 17-04-2019

Enclosure 2 to the accreditation Certificate n° 070B Rev. 13

rilasciato a / issued to:



Aggiornato in data: 17-04-2019 Updated on: 17-04-2019

LOW AND HIGH VOLTAGE PRODUCTS - LIST OF IEC - EN - CEI STANDARS ELENCO NORME IEC - EN - CEI PER PRODOTTI DI BASSA E ALTA TENSIONE

TC 7 Overhead electrical conductors

CT 7 Linee elettriche aeree e materiali conduttori

50182 Conductors for overhead lines. Round wire concentric lay stranded conductors

TC 11 Overhead lines

CT 11 Impianti elettrici ad alta tensione e di distribuzione pubblica di bassa tensione

- 50341-1 Overhead electrical lines exceeding AC 1 kV
- 50423-1 Overhead electrical lines exceeding AC 1 kV up to and including AC 45 kV Part 1: General requirements Common specifications
- 61219 Earthing or earthing and short-circuiting equipment using lances as a short-circuiting device
- 61230 Portable equipment for earthing or earthing and short-circuiting
- 61235 Insulating hollow tubes for electrical purposes
- 61284 Requirements and tests for fittings

TC 14 Power transformers

CT 14 Trasformatori

50464-1 Three phase oil immersed distribution transformers 50 Hz up to 36 kV from 50 kVA to 2500 kVA 50588-1 Medium power transformers 50 Hz, with highest voltage for equipment not exceeding 36 kV Part 1: General requirements 60076-1 Power transformers - Part 1: General Power transformers - Part 2: Temperature rise for liquid-immersed transformers 60076-2 60076-3 Power transformers - Part 3: Insulation levels, dielectric tests and external clearances in air 60076-4 Power transformers - Part 4: Guide to the lightning impulse and switching impulse testing - Power transformers and reactors 60076-5 Power transformers - Part 5: Ability to withstand short circuit 60076-6 Power transformers - Part 6: Reactors 60076-10 Power transformers - Part 10: Determination of sound levels Power transformers - Part 11: Dry-type transformers power transformers 50 Hz, with highest voltage for equipment not 60076-11 exceeding 36 kV - Part 1: General requirements 60076-13 Power transformers - Part 13: Self-protected liquid-filled transformers

TC17-SC17A-SC17C Switchgear and controlgear / High-voltage switchgear and controlgear / High-voltage switchgear and controlgear assemblies

CT17-SC17A/C Grossa apparecchiatura / Apparecchiature e quadri protetti di alta tensione

- 62271-1 High-voltage switchgear and controlgear Part 1: Common specifications for alternating current switchgear and controlgear
- 62271-100 High-voltage alternating current circuit-breakers

62271-101 High-voltage switchgear and controlgear - Part 101: Synthetic testing

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023 The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023

(Dott. Filippo Trifiletti) Il Direttore Generale The General Director

Enclosure 2 to the accreditation Certificate n° 070B Rev. 13

- 62271-102 High-voltage alternating current disconnectors and hearting switches
- 60271-103 High-voltage switches for rated voltage above 1 kV and less than 52 kV
- 62271-104 High-voltage switches for rated voltage of 52 kV and above
- 62271-105 High-voltage alternating current switch-fuse combinations
- 62271-106 High-voltage alternating current contactors and contactor based motor-starters
- 62271-107 High-voltage switchgear and controlgear Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV
- 62271-200 Metal enclosed switchgear and controlgear for rated voltages up to anf including 36 kV
- 62271-201 High-voltage switchgear and controlgear Part 201: AC solid-insulation enclosed switchgear and controlgear for rated voltages above 1 kV
- 62271-202 High-voltage/low voltage prefabricated substations
- 62271-203 Gas-insulated metal enclosed switchgear for rated voltages above 52 Kv
- 62271-205 Compact switchgear assemblies for rated voltages above 52 kV
- 62271-210 High-voltage switchgear and controlgear Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV
- 62271-304 High-voltage switchgear and controlgear Part 304: Design classes for indoor enclosed switchgear and controlgear for rated voltages above

TC 22 Power electronic systems and equipment

CT 22 Elettronica di potenza

- 50178 Electronic equipment for use in power installations
- 60950-1 Information technology equipment Safety Part 1: General requirements
- 60146-1-1 Semiconductor converters General requirements and line commutated converters Part 1-1: Specification of basic requirements
- 60146-1-3 Semiconductor convertors General requirements and line commutated convertors Part 1-3: Transformers and reactors 60146-2 Semiconductor converters- Part 2: Self-commutated semiconductor converters including direct d.c. converters
- 61557-12 Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. Equipment for testing, measuring or monitoring of protective measures. Part 12: Performance measuring and monitoring devices (PMD)
- 61800 Adjustable speed electrical power drive systems
- 62040-1 Uninterruptible power systems (UPS) Part 1: General and safety requirements for UPS
- 62040-2 Uninterruptible power systems (UPS) Part 2: Electromagnetic compatibility (EMC) requirements
- 62040-3 Uninterruptible power systems (UPS) Part 3: Method of specifying the performance and test requirements
- 62040-4 Uninterruptible power systems (UPS) Part 4: Environmental aspects Requirements and reporting
- 62477-1 Safety requirements for power electronic converter systems and equipment Part 1: General

TC 23 Electrical accessories

CT 23 Apparecchiatura a bassa tensione

CT ZS Apparecciliatura a bassa tensione		
50085-1	Cable trunking systems and cable ducting systems for electrical installation: General requirements	
60309-1	Plug,socket-outlets and couplers for industrial purposes - Part 1: General requirements	
60309-2	Plug,socket-outlets and couplers for industrial purposes - Part 2: Dimensional interchangeability requirements for top pin and contact-tube accessories.	
60669-1	Switches for household and similar fixed-electrical installations - Part 1: General requirements	
60669-2-1	Switches for household and similar fixed-electrical installations - Part 2: Electronic switches	
60755	General requirements for residual current operated protective devices	
60898	Electrical accessories-Circuit-breakers for overcurrent protectio for household and similar installations Part 1:Circuit- breakers for a.c. operation	
61008-1	Residual current operated circuit-breakers without integral overcurrent protection for household and similar use (RCCB's) - Part 1: General rules	
61008-2-1	Residual current operated circuit-brakers without integral overcurrent protection for household similar use (RCCB's) –	
	Part 2-1: Applicability of the general rules to RCCB's functionally independent of line voltage	
61008-2-2	Residual current operated circuit-breakers without integral overcurrent protection for household and similar use (RCCB's) – Part 2-2:Applicsbility of the general rules to RCCB's functionall dependent of line voltage	

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023 The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023

The Department Director

(Dott. Filippo Trifiletti) Il Direttore Generale *The General Director*

Enclosure 2 to the accreditation Certificate n° 070B Rev. 13

61009-1	Residual current operated circuit-breakers with integral overcurrent protection for household and similar use (RCBO's) –
	Part 1: General rules
61009-2-1	Residual current operated circuit-breakers with integral overcurrent protection for household and similar use (RCBO's) – Part 2-1: Applicability of general rules to RCBO's functionally independent of line voltage
61009-2-2	Residual current operated circuit-brakers with integral overcurrent protection for household and similar use (RCBO's) – Part 2-2: Applicability of general rules to RCBO's functionally dependent of line voltage
61210	Connecting devices - Flat quick-connect terminations for electrical copper conductors - Safety requirements
61386-1 61386-21	Conduit systems for cable management - Part 1: General requirements Conduit systems for cable management - Part 21: Particular requirements - Rigid conduit systems
61386-22	Conduit systems for cable management - Part 21: Particular requirements - Rigid conduit systems Conduit systems for cable management - Part 22: Particular requirements - Pliable conduit systems
61386-23	Conduit systems for cable management - Part 23: Particular requirements - Flexible conduit systems
61386-24	Conduit systems for cable management - Part 24: Particular requirements - Conduit systems buried underground
62019	Electrical accessories circuit-breakers and similar equipment for household use - Auxiliary contact units
TC 32 Fuses	
CT 32 Fusibili	
60127 60269-1	Miniature fuses Low-voltage fuses - Part 1: General requirements
60269-2	Low-voltage fuses - Part 2: Supplementary requirements for fuses for use by authorized persons
60269-3	Low-voltage fuses - Part 3: Supplementary requirements for fuses for use by unskilled persons
60269-4 60282-1	Low-voltage fuses - Part 4: Supplementary requirements for fuse-links for the protection of semiconductor devices High-voltage fuses-Part 1: Current- limiting fuses
60282-2	High-voltage fuses-Part 2: Expulsion fuses
60644	Specification for high-voltage fuse-links for motor circuit applications
TC 33 Power	capacitor
CT 33 Conder	
60358 60831-1	Coupling capacitors and capacitor dividers Shunt power capacitors of the self-healing type for a.c. systems having a rated voltage up to and including 1 000 V
60831-2	Shunt power capacitors of the self-healing type for a.c. systems having a rated voltage up to and including 1 000 V - Part
	2: Ageing test, self-healing test and destruction test
60871	Shunt capacitors for a.c. power systems having a rated voltage above 1 000 V
TC 36 Insulate CT 36 Isolator	
50180-1	Bushings above 1 kV up to 52 kV and from 250 A to 3,15 kA for liquid filled transformers - Part 1: General requirements
00.001	for bushings
50181	Bushings above 1kV up to 36kV and from 250A to 1250A for equipment other than liquid filled transformers
50243	
	Outdoor bushings for 24kV and 36kV ,5kA and 8kA for liquid filled transformers
50386 50387	Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers
50386 50387 60137	
50387	Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers Busbar bushings up to 1kV and from 1,25kA to 5kA for liquid filled transformers Insulated bushings for alternating voltages above 1kV Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltage greater than
50387 60137	Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers Busbar bushings up to 1kV and from 1,25kA to 5kA for liquid filled transformers Insulated bushings for alternating voltages above 1kV Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltage greater than 1000V
50387 60137 60168	Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers Busbar bushings up to 1kV and from 1,25kA to 5kA for liquid filled transformers Insulated bushings for alternating voltages above 1kV Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltage greater than
50387 60137 60168 60273 60383-1	Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers Busbar bushings up to 1kV and from 1,25kA to 5kA for liquid filled transformers Insulated bushings for alternating voltages above 1kV Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltage greater than 1000V Characteristic of indoor and outdoor post insulators for systems with nominal voltages greater than 1000 V Insulators for overhead lines with a nominal voltage above 1000 V - Part 1: Ceramic or glass insulator units for a.c. systems - Definitions, test methods and acceptance criteria
50387 60137 60168 60273	Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers Busbar bushings up to 1kV and from 1,25kA to 5kA for liquid filled transformers Insulated bushings for alternating voltages above 1kV Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltage greater than 1000V Characteristic of indoor and outdoor post insulators for systems with nominal voltages greater than 1000 V Insulators for overhead lines with a nominal voltage above 1000 V - Part 1: Ceramic or glass insulator units for a.c. systems - Definitions, test methods and acceptance criteria Insulators for overhead lines with a nominal voltage above 1000 V - Part 2: Insulator strings and insulator sets for a.c.
50387 60137 60168 60273 60383-1	Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers Busbar bushings up to 1kV and from 1,25kA to 5kA for liquid filled transformers Insulated bushings for alternating voltages above 1kV Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltage greater than 1000V Characteristic of indoor and outdoor post insulators for systems with nominal voltages greater than 1000 V Insulators for overhead lines with a nominal voltage above 1000 V - Part 1: Ceramic or glass insulator units for a.c. systems - Definitions, test methods and acceptance criteria
50387 60137 60168 60273 60383-1 60383-2	Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers Busbar bushings up to 1kV and from 1,25kA to 5kA for liquid filled transformers Insulated bushings for alternating voltages above 1kV Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltage greater than 1000V Characteristic of indoor and outdoor post insulators for systems with nominal voltages greater than 1000 V Insulators for overhead lines with a nominal voltage above 1000 V - Part 1: Ceramic or glass insulator units for a.c. systems - Definitions, test methods and acceptance criteria Insulators for overhead lines with a nominal voltage above 1000 V - Part 2: Insulator strings and insulator sets for a.c. systems - Definitions,

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023 The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023

The Department Director

(Dott. Filippo Trifiletti) Il Direttore Generale *The General Director*

Enclosure 2 to the accreditation Certificate n° 070B Rev. 13

- 61462 Composite hollow insulators - Pressurized and unpressurized insulators for use in electrical equipment with rated voltage greater than 1 000 V - Definitions, test methods, acceptance criteria and design recommendations 61466-1 Composite string insulator units for overhead lines with a nominal voltage greater than 1 000 V - Part 1: Standard strength and end fittings Composite string insulator units for overhead lines with a nominal voltage greater than 1 000 V - Part 2: Dimensional and 61466-2 electrical 61952 Insulators for overhead lines - Composite line post insulators for A.C. systems with a nominal voltage greater than 1 000 V - Definitions, test 62199 Bushings for d.c. application
- Composite station post insulators for substations with a.c. voltages greater than 1 000 V up to 245 kV Definitions, test 62231 methods and acceptance criteria

TC 37 Surge arresters

CT 37 Scaricatori

60099-1	Surge arresters – Part 1: Non-linear resistor type gapped surge arresters for a.c. systems
60099-4	Surge arresters: - Part 4 Metal oxide surge arresters without gaps for a.c. systems
~~~~ -	

Surge arresters: - Part 5 Selection and application recommendation 60099-5

## TC 38 Instruments trasformers

## CT 38 Trasformatori di misura

60044-4	Instrument transformers - Part 4: Measurement of partial discharges
60044-7	Instruments transformers - Part 7: Electronic voltage transformers
60044-8	Instruments transformers - Part 8: Electronic current transformers
61869-1	Instrument transformers - Part 1: General requirements
61869-2	Instrument transformers - Part 2: Additional requirements for current transformers
61869-3	Instrument transformers - Part 3: Additional requirements for inductive voltage transformers
61869-4	Instrument transformers - Part 4: Additional requirements for combined transformers
61869-5	Instrument transformers - Part 5: Additional requirements for capacitor voltage transformers
61869-10	Instrument transformers - Part 10: Additional requirements for low-power passive current transformers
61869-11	Instrument transformers - Part 11: Additional requirements for low power passive voltage transformers

#### TC 57 Power systems management and associated information exchange

CT 57 Scambio informativo associato alla gestione dei sistemi elettrici di potenza

60353 Line traps for a.c. power systems

#### TC 65 Industrial-process measurement and control

CT 65 Controllo e misura dei processi industriali

- 61131-1
- Programmable controllers Part 1: General informations Programmable controllers Part 2: Equipment requirements and tests 61131-2

#### TC69 Electric road vehicles and electric industrial trucks

#### CT69 Macchine elettriche dei veicoli stradali elettrici

61851-1	Electric vehicle conductive charging system - Part 1: General requirements
61851-21	Electric vehicle conductive charging system - Part 21: Electric vehicle requirements for conductive connection to an
	a.c./d.c. supply
61851-22	Electric vehicle conductive charging system - Part 22: AC electric vehicle charging station
61851-23	
61851-24	Electric vehicle conductive charging system - Part 24: Digital communication between a d.c. EV charging station and an
	electric vehicle for control of d.c. charging
TS 62763	Pilot function through a control pilot circuit using PWM (pulse width modulation) and a control pilot wire

#### TC 70 Degree of protection by enclosures

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023 The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023

(Dott. Filippo Trifiletti) Il Direttore Generale The General Director

Enclosure 2 to the accreditation Certificate n° 070B Rev. 13

### CT 70 Involucri di protezione

60529 Degree of protection provided by enclosures (IP Code)

#### TC 72 Automatic electrical controls

## CT 72 Dispositivi elettrici automatici di comando

60730 Automatic electrical controls

#### TC 78 Live working

## CT 78 Lavori elettrici sotto tensione

- 60832-1 Insulating sticks and attachable devices Part 1: Insulating sticks
- 60832-2 Insulating sticks and attachable devices Part 2: Attachable devices
- 60855 Insulating foam-filled tubes and solid rods Part 1: Tubes and rods of a circular cross-section
- 60984 Sleeves of insulating meterial for live working
- 61111 Electrical insulating matting
- 61219 Earthing or earthing and short-circuit equipment using lances as a short-circuiting device Lance earthing
- 61229 Rigid protective covers for live working on a.c. installations
- 61230 Portable equipment for earthing or earthing and short- circuiting
- 61235 Insulating hollow tubes for electrical purposes
- 61243-1 Voltage detectors Part 1: Capacitive type to be used for voltages exceeding
- 61243-5 Voltage detectors Part 5: Voltage detecting systems (VDS)

#### TC82 Solar photovoltaic energy systems

CT82 Sistemi di conversione fotovoltaica dell'energia solare

- 62109-1 Safety of power converters for use in photovoltaic power systems Part 1: General requirements
- 62109-2 Safety of power converters for use in photovoltaic power systems Part 2: Particular requirements for inverters

# TC 94/95 All-or-nothing electrical relays / Measuring relays and protection equipment

- CT 94/95 Relè / Relè di misura e dispositivi di protezione 60255 Measuring relays and protection equipment
- 60255-12 Electrical relays Part 12: Directional relays and power relays with two input energizing quantities
- 60255-13 Electrical relays Part 13: Biased (percentage) differential relays
- 60255-27 Measuring relays and protection equipment Part 27: Product safety requirements
- 60255-149 Measuring relays and protection equipment Part 149: Functional requirements for thermal electrical relays
- 61733-1 Relè di misura e dispositivi di protezione Interfaccia di protezione tra dispositivi di comunicazione Parte 1: Generalità
- 61811-1 Electromechanical telecom elementary relays of assessed quality Part 1: Generic specification and blank detail
- specification
- 61812-1 Time relays for industrial and residential use Part 1: Requirements and tests
- 62314 Solid-state relays

# TC 96 Small transformers, reactors and power supply units and special transformers, reactors and power supply units: safety requirements

# CT 96 Trasformatori di sicurezza ed isolamento

- 61558-1 Safety of power transformers, power supply units and similar Part 1: General requirements and tests
- 61558-2-1 Safety of power transformers, power supplies, reactors and similar products Part 2-1: Particular requirements and tests for separating transformers and power supplies incorporating separating transformers for general
  - applicationstransformers and power supply units incorporating isolating transformers

61558-2-4 Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-4: Particular requirements and tests for isolating transformers and power supply units incorporating isolating transformers

## TC 104 Enviromental condition, classification and methods of test

CT 104 Condizioni ambientali. Classificazioni e metodi di prova

60068-2-6 Environmental testing – Part 2: Test FC Vibration (sinusoidal)

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023 The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023

The Department Director

(Dott. Filippo Trifiletti) Il Direttore Generale The General Director

Enclosure 2 to the accreditation Certificate n° 070B Rev. 13

TC121-SC121A-SC121B Switchgear and controlgear and their assemblies for low voltage / Low-voltage switchgear and controlgear / Low-voltage switchgear and controlgear assemblies			
	A-SC121B Apparecchiature e quadri protetti per Bassa tensione / Apparecchiature per bassa tensione / Quadri assa tensione		
60947-1	Low voltage switchgear and controlgear - Part 1: General rules		
60947-2	Low voltage switchgear and controlgear - Part 2: Circuit breakers		
60947-3	Low voltage switchgear and controlgear - Part 3: Switch disconnectors, switch disconnectors and Fuse-combination units		
60947-4-1	Low voltage switchgear and controlgear - Part 4: Contactors and motor-starters-Section 1- Elettrotechnical contactors		
00947-4-1	and motor-starters		
60947-4-2	Low voltage switchgear and controlgear - Part 4: Contactors and motor- starters-Section 2- AC semiconductor motor controllers and starters		
60947-4-3	Low voltage switchgear and controlgear - Part 4-3: AC semiconductor starters for non-motor loads		
60947-5-1	Low voltage switchgear and controlgear - Part 5: Control circuit devices and switching elements - Section 1- Elettromechanical control circuit devices		
60947-5-2	Low voltage switchgear and controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches		
60947-5-2 60947-5-3			
60947-5-3	Low voltage switchgear and controlgear - Part 5-3: Control circuit devices and switching elements - Requirements for		
0004755	proximity devices with defined behaviour under fault conditions		
60947-5-5	Low voltage switchgear and controlgear - Part 5-5: Control circuit devices and switching devices -Electrical emergency stop device with mechanical latching function		
60947-5-6	Low-voltage switchgear and controlgear - Part 5-6: Control circuit devices and switching elements - DC interface for		
	proximity sensors and switching amplifiers (NAMUR)		
60947-5-8	Low-voltage switchgear and controlgear - Part 5-8: Control circuit devices and switching elements - Three-position		
00041 0 0	enabling switches		
60947-5-9	Low-voltage switchgear and controlgear - Part 5-9: Control circuit devices and switching elements - Flow rate switches		
60947-6-1	Low voltage switchgear and controlgear - Part 6-1: Multiple function equipment-Section 1: Automatic transfer switching		
00947-0-1	equipment		
60947-6-2	Low voltage switchgear and controlgear - Part 6-2: Multiple function equipment-Section 2: Control and protective		
0004774	switching device (CPS)		
60947-7-1	Low voltage switchgear and controlgear - Part 7-1: Ancillary equipment-Section 1: Terminal blocks for copper conductors		
60947-7-2	Low voltage switchgear and controlgear - Part 7-2: Ancillary equipment-Section 2: Protective conductor terminal blocks for copper conductors		
60947-7-3	Low voltage switchgear and controlgear - Part 7-3: Ancillary equipment-Section 7-3:Safety Requirements for fuse		
	terminal blocks		
60947-7-4	Low-voltage switchgear and controlgear - Part 7-4: Ancillary equipment-PCB terminal blocks for copper conductors		
62208	Empty enclosures for low-voltage switchgear and controlgear-General requirements		
61095	Elettromechanical contactors for household and similar purposes		
61439-1	Low-voltage switchgear and controlgear assemblies– Part 1: General rules		
61439-2	Low-voltage switchgear and controlgear assemblies – Part 2: Power switchgear and controlgear assemblies		
61439-3	Low-voltage switchgear and controlgear assemblies - Part 3: Distribution boards intended to be operated by ordinary		
	persons (DBO)		
61439-4	Low-voltage switchgear and controlgear assemblies – Part 4: Particular requirements for assemblies for construction sites (ACS)		
61439-5	Low-voltage switchgear and controlgear assemblies – Part 5: Assemblies for power distribution in public network		
61439-6	Low-voltage switchgear and controlgear assemblies – Part 6: Busbar trunking systems (busways)		
TS 61439-7	Low-voltage switchgear and controlgear assemblies - Part 7: Assemblies for specific applications such as marinas,		
	camping sites, market squares, electric vehicles charging stations		
TR 61641	Enclosed low-voltage switchgear and controlgear assemblies - Guide for testing under conditions of arcing due to		
	internal fault		

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023 The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023

The Department Director

(Dott. Filippo Trifiletti) Il Direttore Generale *The General Director* 

Enclosure 2 to the accreditation Certificate n° 070B Rev. 13

## CT 316 Connessione alle reti elettriche di distribuzione Alta, Media e Bassa tensione

CEI 0-16 Regola tecnica di riferimento per la connessione di Utenti attivi e passivi alle reti AT e MT delle imprese distributrici di energia elettrica

CEI 0-21 Regola tecnica di riferimento per la connessione di Utenti attivi e passivi alle reti BT delle imprese distributrici di energia elettrica

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023 The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023

(Dott. Emanuele Riva) Il Direttore di Dipartimento The Department Director (Dott. Filippo Trifiletti) Il Direttore Generale *The General Director*