



Allegato CSAAR al Certificato di Accreditamento 0239ISP
Annex CSAAR to the Accreditation Certificate 0239ISP

RILASCIATO A **CM Servizi S.r.l.**
ISSUED TO

Organismo di Ispezione

REVISIONE **001** DATA DI REVISIONE **12-12-2023** DATA DI SCADENZA **06-02-2028**
REVISION REVIEW DATE EXPIRY DATE

Ispezione di Tipo C nei seguenti settori:

Verificazione periodica di:

- Strumenti per pesare a funzionamento non automatico – NAWI – classe I – con portata massima fino a 1 kg
 - Strumenti per pesare a funzionamento non automatico – NAWI – classe II – con portata massima fino a 30 kg
 - Strumenti per pesare a funzionamento non automatico – NAWI – classe III e IIII – con portata massima fino a 80.000 kg
 - Distributori di carburante (escluso GPL) e di soluzioni a base di urea con portata massima fino a 200 L/min
 - Distributori di GPL
 - Sistemi per la misurazione continua e dinamica di liquidi diversi dall'acqua destinati al Carico/Scarico autocisterne, vagoni-cisterna, navi-cisterna e container-cisterna – carburanti - con portata massima fino a 5000 L/min
 - Sistemi per la misurazione continua e dinamica di liquidi diversi dall'acqua su condotta con portata massima fino a 5000 L/min (o portate superiori in caso di strutture di prova annesse allo strumento)
- ai sensi del Decreto 21 aprile 2017, n.93.

Inspection of Type C in the following sectors:

Subsequent verification of:

- Non-automatic weighing instruments – NAWI – class I – with maximum capacity up to 1 kg
 - Non-automatic weighing instruments – NAWI – class II – with maximum capacity up to 30 kg
 - Non-automatic weighing instruments – NAWI – class III and IIII – with maximum capacity up to 80.000 kg
 - Fuel (not for LPG) and urea solution dispensers with maximum flowrate up to 200 L/min
 - GPL dispensers
 - Continuous and dynamic measuring systems for liquids other than water – for (un)loading ships and rail and road tankers - fuels - with maximum flowrate up to 5000 L/min
 - Continuous and dynamic measuring systems for liquids other than water on pipeline with maximum flowrate up to 5000 L/min (or higher flowrates with test devices attached to the instrument)
- in accordance with the Decree 21 april 2017, n. 93.